



Hudson
Multideck Wall Case | Cold
MDC-73LS-S & MDC-73LS-R

southerncasearts.com | 800.552.6283



OVERVIEW ❄️

The **Hudson Multideck Wall Case** from **Southern CaseArts** is a great merchandiser to add to your store. With three width options and 7 adjustable glass shelves - this case can put a lot of product in front of your customers. The **Hudson** is available in both remote or self-contained models. It is the perfect case for meats, cheese, snacks, sandwiches and beverages.

STANDARD FEATURES

- **Nominal Length:** 3.0', 4.0' & 6.0'
- **Interior Lighting:** 3500K LED Lights
- **Shelving:** 7 adjustable glass shelves
- Casters for easy mobility & maintenance
- Glass side panels
- Remote & Self-contained
- **Exterior:** Black powder coat

PRODUCT CATEGORIES



Meat



Cheese/
Dairy



Snacks/
Sandwiches



Chilled
Beverages




Prepared
Food

03.0-MDC-73LS-R | Hudson Multideck (Wall Case)

QTY	DESCRIPTION	PART NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
1	34" LED 3500K, FROSTED, 24V	LG-FX-XXX-X	115V	1	0.07	0.07
2	EVAPORATOR FAN	RF-FA-XXX-X	115V	1	0.17	0.34

CIRCUIT#1 (LIGHTS) TOTAL AMPS: 0.07 VOLTAGE: 115/1/60 CONNECTION: HARDWIRED
 CIRCUIT#1 (FANS) TOTAL AMPS: 0.34 VOLTAGE: 115/1/60 CONNECTION: HARDWIRED
 MODEL: MDC-73LS APPLICATION: DELI BTUH: 3705 EVAP TEMP: 24°F
 DEFROST: TIME-OFF, 4/40 MIN, 47° TEMP TERMINATION PACKOUT VOLUME: 23.38 CUBIC FT.
 INTERNAL VOLUME: 32.00 CUBIC FT.



Plan Mechanical View






04.0-MDC-73LS-R | Hudson Multideck (Wall Case)

QTY	DESCRIPTION	PART NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
1	45" LED 3500K, FROSTED, 24V	LG-FX-XXX-X	115V	1	0.09	0.09
2	EVAPORATOR FAN	RF-FA-XXX-X	115V	1	0.17	0.34

CIRCUIT#1 (LIGHTS) TOTAL AMPS: 0.09 VOLTAGE: 115/1/60 CONNECTION: HARDWIRED
 CIRCUIT#1 (FANS) TOTAL AMPS: 0.34 VOLTAGE: 115/1/60 CONNECTION: HARDWIRED
 MODEL: MDC-73LS APPLICATION: DELI BTUH: 4940 EVAP TEMP: 24°F
 DEFROST: TIME-OFF, 4/40 MIN, 47° TEMP TERMINATION PACKOUT VOLUME: 31.17 CUBIC FT.
 INTERNAL VOLUME: 42.67 CUBIC FT.




Plan Mechanical View

06.0-MDC-73LS-R | Hudson Multideck (Wall Case)

QTY	DESCRIPTION	PART NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
1	67" LED 3500K, FROSTED, 24V	LG-FX-XXX-X	115V	1	0.13	0.13
3	EVAPORATOR FAN	RF-FA-XXX-X	115V	1	0.17	0.51

CIRCUIT#1 (LIGHTS) TOTAL AMPS: 0.13 VOLTAGE: 115/1/60 CONNECTION: HARDWIRED
 CIRCUIT#1 (FANS) TOTAL AMPS: 0.51 VOLTAGE: 115/1/60 CONNECTION: HARDWIRED
 MODEL: MDC-73LS APPLICATION: DELI BTUH: 7410 EVAP TEMP: 24°F
 DEFROST: TIME-OFF, 4/40 MIN, 47° TEMP TERMINATION PACKOUT VOLUME: 46.76 CUBIC FT.
 INTERNAL VOLUME: 64.01 CUBIC FT.




Plan Mechanical View

03.0-MDC-73LS-S | Hudson Multideck (Wall Case)

QTY	DESCRIPTION	PART NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
1	34" LED 3500K, FROSTED, 24V	LG-FX-XXX-X	115V	1	0.07	0.07
2	EVAPORATOR FAN	RF-FA-XXX-X	115V	1	0.17	0.34
1	CONDENSING UNIT	RF-CU-0383	115V	1	12.10	12.10
1	CONDENSATE EVAP PAN / 1500W / FULL	EL-EV-XXXX	115V	1	12.50	12.50
1	CONDENSATE PUMP	RF-MS-0442	115V	1	1.00	1.00

CIRCUIT#1 TOTAL AMPS: 26.01 VOLTAGE: 115/1/60 CONNECTION: L5-30P
 PACKOUT VOLUME: 23.38 CUBIC FT.
 INTERNAL VOLUME: 32.00 CUBIC FT.




Plan Mechanical View

04.0-MDC-73LS-S | Hudson Multideck (Wall Case)

QTY	DESCRIPTION	PART NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
1	45" LED 3500K, FROSTED, 24V	LG-FX-XXX-X	115V	1	0.09	0.09
2	EVAPORATOR FAN	RF-FA-XXX-X	115V	1	0.17	0.34
1	CONDENSING UNIT	RF-CU-0472	208V	1	12.80	12.80
1	CONDENSATE EVAP PAN / 1500W / FULL	EL-EV-XXXX	208V	1	7.21	7.21
1	CONDENSATE PUMP	RF-MS-0442	115V	1	1.00	1.00

CIRCUIT#1 TOTAL AMPS: 21.44 VOLTAGE: 208-230/1/60, 3-WIRE CONNECTION: L14-30P
 PACKOUT VOLUME: 31.17 CUBIC FT.
 INTERNAL VOLUME: 42.67 CUBIC FT.




Plan Mechanical View


06.0-MDC-73LS-S | Hudson Multideck (Wall Case)

QTY	DESCRIPTION	PART NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
1	67" LED 3500K, FROSTED, 24V	LG-FX-XXX-X	115V	1	0.13	0.13
3	EVAPORATOR FAN	RF-FA-XXX-X	115V	1	0.17	0.51
1	CONDENSING UNIT	RF-CU-0419	208/230V	1	11.70	11.70
1	CONDENSATE EVAP PAN / 1500W / FULL	EL-EV-XXXX	208V	1	7.21	7.21
1	CONDENSATE PUMP	RF-MS-0442	115V	1	1.00	1.00


CIRCUIT#1 TOTAL AMPS: 20.55 VOLTAGE: 208-230/1/60, 3-WIRE CONNECTION: L14-30P
 PACKOUT VOLUME: 46.76 CUBIC FT.
 INTERNAL VOLUME: 64.01 CUBIC FT.




Plan Mechanical View




03.0 Front View - R




03.0 Front View - S




04.0 Front View - R




04.0 Front View - S




06.0 Front View - R



06.0 Front View - S



Section View
Remote Case



Section View
Self-Contained Case



CONFORMS TO UL STD 471.
CONFORMS TO NSF STD 7.
CERTIFIED TO CAN/CSA STD C22.2 NO. 120.

For more information on the Hudson Multideck Wall Case, contact one of our Southern CaseArts representatives or check out our website to learn more about all of the products offered by Southern CaseArts.



southerncasearts.com

© 2024 Southern CaseArts. All rights reserved. Information and specifications subject to change without notice. All values are design or typical values when measured under laboratory conditions.