

Project Name			
Model #	_ Qty	. Item #	
Approval		AIA#	SIS#

# Platte Multideck Merchandiser with Doors | Cold MDD-87ADM-R



# southerncasearts.com 800.552.6283

## **OVERVIEW** 鱳

# Image Not Available

The Platte Multideck Merchandiser with doors from Southern CaseArts is just the refrigerated case you've been looking for. With four width options featuring 2-6 glass view doors, this energy efficient case included LED lighting in the canopy and vertically that will make it impossible for customers to miss the merchandise. This case is ideal for meat, cheese/dairy, milk, bakery, prepared foods, snacks/sandwiches and chilled beverages.

# **STANDARD FEATURES**

- Nominal Length: 4.1', 6.2', 8.2' & 12.3'
- Interior Lighting: 4000K LED
- Shelving: 5 adjustable shelves
- Doors: Glass view swing doors
- Remote
- Exterior: Black powder coat

## PRODUCT CATEGORIES







Snacks/ Sandwiches







Cheese/

Dairy

Beverages


## 04.1-MDD-87ADM-R | Platte Multideck Merchandiser with Doors (2)

	QTY	DESCRI	PTION	PARTI	NUMBER VO	OLTAGE	PHASE	AMPS	TOTAL AMPS
	1	45" LED 4000K, 2	24V	LG-F	X-XXX-X	115V	1	0.50	0.50
	2	59" LED 4000K, 2	24V	LG-F	X-XXX-X	115V	1	0.67	1.33
	2	EVAPORATOR FA	AN	A	FXXX	115V	1	0.20	0.40
0	CIRCUI MODEL	T#1 (LIGHTS) T#2 (FANS) : MDD-87ADM <b>ST:</b> TIME-OFF, 4/4:	TOTAL AMPS: 1.8 TOTAL AMPS: 0.4 APPLICATION: D 5MIN, 50° TEMP 1	40 DELI	VOLTAGE: 115 VOLTAGE: 115 BTUH: 3241 IATION	/1/60 PACKOU	CONNECT CONNECT JT VOLUM AL VOLUM	ION: HAF EVAP TE E: 54.84 (	RDWIRED EMP: 14°F CUBIC FT.



#### southerncasearts.com

© 2024 Southern CaseArts. All rights reserved. Information and specifications subject to change without notice. All values are design or typical values when measured under laboratory conditions.




06.2-MDD-87ADM-R | Platte Multideck Merchandiser with Doors (3)


QTY	DESCR	IPTION	PART NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
2	33" LED 4000K, 2	24V	LG-FX-XXX-X	115V	1	0.38	0.75
4	59" LED 4000K, 2	24V	LG-FX-XXX-X	115V	1	0.67	2.67
3	EVAPORATOR F.	AN	AFXXX	115V	1	0.20	0.60
	T#1 (LIGHTS) T#2 (FANS)	TOTAL AMPS: 3.4 TOTAL AMPS: 0.6			CONNECT		

MODEL: MDD-87ADM APPLICATION: DELI DEFROST: TIME-OFF, 4/45MIN, 50° TEMP TERMINATION

BTUH: 4862

EVAP TEMP: 14°F PACKOUT VOLUME: 82.26 CUBIC FT.








#### southerncasearts.com

© 2024 Southern CaseArts. All rights reserved. Information and specifications subject to change without notice. All values are design or typical values when measured under laboratory conditions.

08.2-MDD-87ADM-R | Platte Multideck Merchandiser with Doors (4)

QTY	DESCRI	IPTION	PART	NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
2	45" LED 4000K, 2	24V	LG-F	X-XXX-X	115V	1	0.50	1.00
4	59" LED 4000K, 2	24V	LG-F	X-XXX-X	115V	1	0.67	2.67
4	EVAPORATOR F	AN	А	FXXX	115V	1	0.20	0.80
CIRCUIT#1 (LIGHTS) TOTAL AMPS: 3.67 CIRCUIT#2 (FANS) TOTAL AMPS: 0.80 MODEL: MDD-87ADM APPLICATION: DELI DEFROST: TIME-OFF, 4/45MIN, 50° TEMP TERM				VOLTAGE: VOLTAGE: BTUH: 648 NATION	115/1/60 3 PACKOU	CONNECT CONNECT	ION: HAI EVAP TI : 109.68	RDWIRED EMP: 14°F CUBIC FT.




### 12.3-MDD-87ADM-R | Platte Multideck Merchandiser with Doors (6)

QTY	DESCRI	IPTION	PART	NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
3	45" LED 4000K, 2	24V	LG-F	X-XXX-X	115V	1	0.50	1.50
6	59" LED 4000K, 2	24V	LG-F	X-XXX-X	115V	1	0.67	4.00
6	EVAPORATOR F	AN	A	FXXX	115V	1	0.20	1.20
CIRCUI MODEL	T#1 (LIGHTS) T#2 (FANS) .: MDD-87ADM <b>ST:</b> TIME-OFF, 4/4	TOTAL AMPS: 5 TOTAL AMPS: 1 APPLICATION: 5MIN, 50° TEMP	.20 DELI	VOLTAGE: VOLTAGE: BTUH: 972	115/1/60 24 <b>PACKOU</b>	CONNECT CONNECT T VOLUME	<b>EVAP TI</b> E: 164.52	RDWIRED EMP: 14°F CUBIC FT.



#### southerncasearts.com

© 2024 Southern CaseArts. All rights reserved. Information and specifications subject to change without notice. All values are design or typical values when measured under laboratory conditions.



For more information on the Platte Multideck with Doors, contact one of our **Southern CaseArts** representatives or check out our website to learn more about all of the products offered by **Southern CaseArts**.



#### southerncasearts.com

© 2024 Southern CaseArts. All rights reserved. Information and specifications subject to change without notice. All values are design or typical values when measured under laboratory conditions. Page **4** of **4** (Rev 06/05/24)