

| Project Name | | | |
|--------------|-----|----------|------|
| Model # | Qty | . Item # | |
| Approval | | AIA# | SIS# |

ShenandoahBakery Service Merchandiser | Cold BCX-S-R



southerncasearts.com | 800.552.6283



OVERVIEW



The Shenandoah Bakery Service
Merchandiser from Southern
CaseArts is an ideal service case
for your store. Available in three
length options. The reflective
sliding service doors and
adjustable glass shelves with LED
lighting will draw customers to
meat, deli items, cheese and
bakery. The energy efficient
Shenandoah is sure to become a
favorite customer destination for
years to come.

STANDARD FEATURES

• Nominal Length: 6.0', 8.0' & 12.0'

• Interior Lighting: 3500K LED lights

• Shelving: 3 adjustable glass shelves with LED lights

Remote

• Exterior: Glass and black powder coat

PRODUCT CATEGORIES









Cheese/ Dairy

06.0-BCX-S-R | Shenandoah Bakery Service Merchandiser

| QTY | DESCRIPTION | PART NUMBER | VOLTAGE | PHASE | AMPS | TOTAL AMPS |
|-----|-----------------------------|-------------|---------|-------|------|---------------|
| 10 | 34" LED 3500K, FROSTED, 24V | LG-FX-XXX-X | 115V | 1 | 0.07 | 0.70 |
| 3 | EVAPORATOR FAN | RF-FA-XXXX | 115V | 1 | 0.17 | 0.51 |
| 2 | AIR SWEEP FAN | AFXXX | 115V | 1 | 0.24 | 0.48 |

CIRCUIT#1 (LIGHTS)
CIRCUIT#2 (FANS)
CIRCUIT#3 (CONV. OUTLET)
MODEL: BCX-S

TOTAL AMPS: 0.70
VOLTAGE: 115/1/60
CONNECTION: HARDWIRED
VOLTAGE: 115/1/60
CONNECTION: HARDWIRED
VOLTAGE: 115/1/60
CONNECTION: HARDWIRED
VOLTAGE: 115/1/60
CONNECTION: HARDWIRED
APPLICATION: BAKERY/PASTRY
BTUH: 4800
EVAP TEMP: 24°F


DEFROST: TIME-OFF, 4/30MIN, 47° TEMP TERMINATION **SHIPPING DIMENSIONS:** 86" X 48" X 62"

WEIGHT: 1030 LBS

PACKOUT VOLUME: 25.65 CUBIC FT. INTERNAL VOLUME: 35.58 CUBIC FT.







08.0-BCX-S-R | Shenandoah Bakery Service Merchandiser

| QTY | DESCRIPTION | PART NUMBER | VOLTAGE | PHASE | AMPS | TOTAL AMPS |
|-----|-----------------------------|-------------|---------|-------|------|---------------|
| 10 | 45" LED 3500K, FROSTED, 24V | LG-FX-XXX-X | 115V | 1 | 0.09 | 0.90 |
| 4 | EVAPORATOR FAN | RF-FA-XXXX | 115V | 1 | 0.17 | 0.68 |
| 3 | AIR SWEEP FAN | AFXXX | 115V | 1 | 0.24 | 0.72 |

CIRCUIT#1 (LIGHTS)
CIRCUIT#2 (FANS)
CIRCUIT#3 (CONV. OUTLET)
MODEL: BCX-S


TOTAL AMPS: 0.90
TOTAL AMPS: 1.40
VOLTAGE: 115/1/60
VOLTAGE: 115/1/60
CONNECTION: HARDWIRED
CONNECTION: HARDWIRED
VOLTAGE: 115/1/60
CONNECTION: HARDWIRED
APPLICATION: BAKERY/PASTRY
BTUH: 6400
EVAP TEMP: 24°F

DEFROST: TIME-OFF, 4/30MIN, 47° TEMP TERMINATION

SHIPPING DIMENSIONS: 107" X 48" X 62" WEIGHT: 1313 LBS

* OPTIONAL COMPONENT LOAD INCLUDED

PACKOUT VOLUME: 34.20 CUBIC FT. INTERNAL VOLUME: 47.44 CUBIC FT.





southerncasearts.com



12.0-BCX-S-R | Shenandoah Bakery Service Merchandiser

| QTY | DESCRIPTION | PART NUMBER | VOLTAGE | PHASE | AMPS | TOTAL AMPS |
|-----|-----------------------------|-------------|---------|-------|------|---------------|
| 15 | 45" LED 3500K, FROSTED, 24V | LG-FX-XXX-X | 115V | 1 | 0.09 | 1.35 |
| 6 | EVAPORATOR FAN | RF-FA-XXXX | 115V | 1 | 0.17 | 1.02 |
| 5 | AIR SWEEP FAN | AFXXX | 115V | 1 | 0.24 | 1.20 |

CIRCUIT#1 (LIGHTS) TOTAL AMPS: 1.35 **VOLTAGE:** 115/1/60 **CONNECTION: HARDWIRED** TOTAL AMPS: 2.22 **CONNECTION: HARDWIRED** CIRCUIT#2 (FANS) **VOLTAGE:** 115/1/60 CIRCUIT#3 (CONV. OUTLET) TOTAL AMPS: 20.00 **VOLTAGE:** 115/1/60 **CONNECTION: HARDWIRED** MODEL: BCX-S **APPLICATION: BAKERY/PASTRY BTUH:** 9600 EVAP TEMP: 24°F

DEFROST: TIME-OFF, 4/30MIN, 47° TEMP TERMINATION


SHIPPING DIMENSIONS: 160" X 48" X 62"

PACKOUT VOLUME: 51.30 CUBIC FT.

WEIGHT: 1939 LBS

INTERNAL VOLUME: 71.15 CUBIC FT.

* OPTIONAL COMPONENT LOAD INCLUDED



Plan Mechanical View







CONFORMS TO UL STD 471. CONFORMS TO NSF STD 7. CERTIFIED TO CAN/CSA STD C22.2 NO. 120.

For more information on the Shenandoah Bakery Service Merchandiser, contact one of our **Southern CaseArts** representatives or check out our website to learn more about all of the products offered by **Southern CaseArts**.

