



Echo Multideck Island | Cold EVO-04N-R



southerncasearts.com | 800.552.6283

OVERVIEW



The **Echo Multideck Island** from **Southern CaseArts** is a merchandising powerhouse. This case features cold double sided display area along with two endcaps providing opportunities to showcase a variety of products such as meats, cheese, dairy, sandwiches, prepared foods, and beverages all in the same case. Available in multiple lengths, all with adjustable shelves featuring LED lighting, this energy efficient merchandiser will no doubt be the main attraction in your store.

STANDARD FEATURES

- **Nominal Length:** 8.0', 12.0' & 16.0'
- **Shelves:** Adjustable shelves with LED lights
- **Interior Lighting:** 3500K LED
- Remote
- **Exterior:** Black powder coat

PRODUCT CATEGORIES



Meat



Deli



Cheese/
Dairy



Milk



Snacks/
Sandwiches



Chilled
Beverages



Prepared
Food

08.0-EVO-04N-R | Echo Multideck Island

QTY	DESCRIPTION	PART NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
16	45" LED 3500K, FROSTED, 24V	LG-FX-XXX-X	115V	1	0.09	1.44
12	EVAPORATOR FAN	AFXXX	115V	1	0.24	2.88

CIRCUIT#1 (LIGHTS)

TOTAL AMPS: 1.44

VOLTAGE: 115/1/60

CONNECTION: HARDWIRED

CIRCUIT#2 (FANS)

TOTAL AMPS: 2.88

VOLTAGE: 115/1/60

CONNECTION: HARDWIRED


MODEL: EVO-04N

APPLICATION: DELI BTUH: 16368


EVAP TEMP: 22°F

DEFROST: TIME-OFF, 4/40MIN, 47° TEMP TERMINATION






Plan Mechanical View




Plan View




Cold Multideck

END VIEW



Cold Multideck

SIDE VIEW




Section A:A View

COLD MULTI-DECK CENTER


12.0-EVO-04N-R | Echo Multideck Island

QTY	DESCRIPTION	PART NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
24	45" LED 3500K, FROSTED, 24V	LG-FX-XXX-X	115V	1	0.09	2.16
12	EVAPORATOR FAN	RF-FA-XXXX	115V	1	0.17	2.04


CIRCUIT#1 (LIGHTS) TOTAL AMPS: 2.16 VOLTAGE: 115/1/60 CONNECTION: HARDWIRED
 CIRCUIT#2 (FANS) TOTAL AMPS: 2.04 VOLTAGE: 115/1/60 CONNECTION: HARDWIRED
 MODEL: EVO-04N APPLICATION: DELI BTUH: 24552 EVAP TEMP: 22°F
 DEFROST: TIME-OFF, 4/40MIN, 47° TEMP TERMINATION



Plan Mechanical View




Plan View




Cold Multideck

END VIEW



Cold Multideck

SIDE VIEW



Section A:A View

COLD MULTI-DECK
CENTER

16.0-EVO-04N-R | Echo Multideck Island

QTY	DESCRIPTION	PART NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
8	45" LED 3500K, FROSTED, 24V	LG-FX-XXX-X	115V	1	0.09	0.72
16	67" LED 3500K, FROSTED, 24V	LG-FX-XXX-X	115V	1	0.13	2.08
22	EVAPORATOR FAN	AFXXX	115V	1	0.24	5.28

CIRCUIT#1 (LIGHTS)

TOTAL AMPS: 2.80

VOLTAGE: 115/1/60

CONNECTION: HARDWIRED

CIRCUIT#2 (FANS)

TOTAL AMPS: 5.28

VOLTAGE: 115/1/60

CONNECTION: HARDWIRED


MODEL: EVO-04N

APPLICATION: DELI

BTUH: 32736


EVAP TEMP: 22°F

DEFROST: TIME-OFF, 4/40MIN, 47° TEMP TERMINATION




Section A:A View

COLD MULTI-DECK
CENTER




Plan Mechanical View




Cold Multideck

END VIEW



Cold Multideck

SIDE VIEW



Plan View



CONFORMS TO UL STD 471.
CONFORMS TO NSF STD 7.
CERTIFIED TO CAN/CSA STD C22.2 NO. 120.

For more information on the Echo Multideck Island, contact one of our **Southern CaseArts** representatives or check out our website to learn more about all of the products offered by **Southern CaseArts**.