



Gila Open Display Case | Cold ODC-03S-S & ODC-TS-S



southerncasearts.com | 800.552.6283

OVERVIEW



The **Gila Open Display Case** from **Southern CaseArts** provides endless merchandise opportunities for grab-n-go foods and beverages. This self-contained case is available in 2 ft., 4 ft. and 6 ft. lengths, all with casters for maximum placement flexibility in your store. Whether you chose the TS model featuring a single wire rack or the 03S model which features two adjustable shelves, customers will love the ease of this open display case when looking for their favorite snacks, sandwiches, deli meats, cheese or beverages.



STANDARD FEATURES

- **Nominal Length:** 2.0', 4.0' & 6.0'
- Self-contained
- **Shelving:**
03S features 2 adjustable shelves with LED lights
TS features a single wire rack for merchandise
- **Exterior:** Black powder coat

PRODUCT CATEGORIES



Meat



Deli



Cheese/
Dairy



Snacks/
Sandwiches



Chilled
Beverages



Prepared
Food

02.0-ODC-TS-S | Gila Open Display Case

QTY	DESCRIPTION	PART NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
1	23" LED 3500K, FROSTED, 24V	LG-FX-XXX-X	115V	1	0.04	0.04
1	EVAPORATOR FAN	RF-FA-XXX-X	115V	1	0.17	0.17
1	CONDENSATE EVAP PAN / 800W / HALF	EL-EV-XXXX	115V	1	6.90	6.90
1	CONDENSING UNIT	RF-CU-0499-A	115V	1	8.30	8.30

CIRCUIT#1

TOTAL AMPS: 15.41


VOLTAGE: 115/1/60

CONNECTION: 5-20P ANGLE


PACKOUT VOLUME: 3.07 CUBIC FT.
INTERNAL VOLUME: 6.32 CUBIC FT.

* OPTIONAL COMPONENT LOAD INCLUDED





Plan Mechanical View




Section View

04.0-ODC-TS-S | Gila Open Display Case


QTY	DESCRIPTION	PART NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
1	45" LED 3500K, FROSTED, 24V	LG-FX-XXX-X	115V	1	0.09	0.09
2	EVAPORATOR FAN	RF-FA-XXX-X	115V	1	0.17	0.34
1	CONDENSATE EVAP PAN / 800W / HALF	EL-EV-XXXX	115V	1	6.90	6.90
1	CONDENSING UNIT	RF-CU-0375-A	115V	1	8.24	8.24

CIRCUIT#1 TOTAL AMPS: 15.57 VOLTAGE: 115/1/60 CONNECTION: L5-20P
PACKOUT VOLUME: 6.14 CUBIC FT.
INTERNAL VOLUME: 12.65 CUBIC FT.

* OPTIONAL COMPONENT LOAD INCLUDED



Plan Mechanical View



Section View




06.0-ODC-TS-S | Gila Open Display Case


QTY	DESCRIPTION	PART NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
1	67" LED 3500K, FROSTED, 24V	LG-FX-XXX-X	115V	1	0.13	0.13
3	EVAPORATOR FAN	RF-FA-XXX-X	115V	1	0.17	0.51
1	CONDENSATE EVAP PAN / 800W / FULL	EL-EV-XXXX	115V	1	6.67	6.67
1	CONDENSING UNIT	RF-CU-0381-A	115V	1	11.80	11.80

CIRCUIT#1 TOTAL AMPS: 19.11 VOLTAGE: 115/1/60 CONNECTION: L5-30P
 PACKOUT VOLUME: 9.21 CUBIC FT.
 INTERNAL VOLUME: 18.97 CUBIC FT.

* OPTIONAL COMPONENT LOAD INCLUDED



Plan Mechanical View




Section View

04.0-ODC-03S-S | Gila Open Display Case


QTY	DESCRIPTION	PART NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
3	45" LED 3500K, FROSTED, 24V	LG-FX-XXX-X	115V	1	0.09	0.27
2	EVAPORATOR FAN	RF-FA-XXX-X	115V	1	0.17	0.34
1	CONDENSATE EVAP PAN / 800W / HALF	EL-EV-XXXX	115V	1	6.90	6.90
1	CONDENSING UNIT	RF-CU-0480-A	115V	1	10.90	10.90

CIRCUIT#1 TOTAL AMPS: 18.41 VOLTAGE: 115/1/60 CONNECTION: L5-30P
 PACKOUT VOLUME: 13.44 CUBIC FT.
 INTERNAL VOLUME: 21.22 CUBIC FT.

* OPTIONAL COMPONENT LOAD INCLUDED



Plan Mechanical View



Section View




06.0-ODC-03S-S | Gila Open Display Case


QTY	DESCRIPTION	PART NUMBER	VOLTAGE	PHASE	AMPS	TOTAL AMPS
3	67" LED 3500K, FROSTED, 24V	LG-FX-XXX-X	115V	1	0.13	0.39
3	EVAPORATOR FAN	RF-FA-XXX-X	115V	1	0.17	0.51
1	CONDENSATE EVAP PAN / 1200W / FULL	EL-EV-XXXX	115V	1	10.00	10.00
1	CONDENSING UNIT	RF-CU-0383-A	115V	1	12.10	12.10

CIRCUIT#1 TOTAL AMPS: 23.00 VOLTAGE: 115/1/60 CONNECTION: L5-30P
PACKOUT VOLUME: 20.15 CUBIC FT.
INTERNAL VOLUME: 31.82 CUBIC FT.

* OPTIONAL COMPONENT LOAD INCLUDED



Plan Mechanical View



Section View



CONFORMS TO UL STD 471.
CONFORMS TO NSF STD 7.
CERTIFIED TO CAN/CSA STD C22.2 NO. 120.

For more information on the Gila Open Display Case, contact one of our **Southern CaseArts** representatives or check out our website to learn more about all of the products offered by **Southern CaseArts**.